

VSS3P0800

MCCB Type Voltage Selector Switch

Hi Y Connection Rated Current 400 Amps

Low YY Connection Rated Current 800 Amps

U.S. Pat. No. 8,089,252 B2

TAIWAN Pat. No. M366752

CHINA Pat. No. ZL 2009 2 0145722. 0

Description

VSS (Voltage Selector Switch)

The Kutai VSS (Voltage Selector Switch) is unique and easy to operate. By rotating the handle, the operator can change any 10 or 12 lead generator from Hi Y-**Y** to Low Y-**YY** in a few seconds and at the same time positioning the correct breaker for optional voltage of 220V and 440V. This Voltage Selector Switch is ideal for generator rental markets.



Features

- High Short Circuit Breaking Capacity
- With Mechanical Interlock
- Incorporate Over Current Protection Device (OCPD) Design
- Position Indicator switches incorporated
- Molded Insulating Manual Handle
- Includes Plug-in Connector, For Simply Wiring With External Device

VSS Rated Operating Current & AC Rated Breaking Capacity

VSS Position	Poles	Rated Current(A) Ambient Temperature 40°C	AC Rated Breaking Capacity			Sym r.m.s(KA)		IEC 60947-2 Icu/Ics	
			240V	380V	415V	440V	500V	690V	
Y	3P	400	30	25	25	25	15	--	
YY	3P	800	30	25	25	25	15	--	

Physical Specification

Dimensions 570.0(L) x 262.0(W) x 282.0(H) mm

Weight 28.85 Kg ±2%

Mechanical Specifications (Unit : mm)

Wiring Diagram

